

Polyester enclosure



Transparent contact protection window hood

Industrial plugs/Cable Glands

Heater/Thermostats



Polyester enclosure

Polyester enclosure

TIP series are new type, it made by polyesters. The characteristics of the polyesters is its own min 30% fibre glass, make it reached high resistance and mechanical stiffness, have the same effect of metal enclosure which is 3 times heavier than it. Compared with metal enclosure, TIP series are lighter, more adequate for corrosion and dankish environment.

Material: fiberglass/ SMC, self-extinguishable or UV material are on request

Supply include:

door with lock system, enclosure, wall mount brackets 4pcs/set.


Mounting plate to be supplied separately as to the clients request

Resistance against rusting and corrosion by chemical or atmospherical condition

Easy to machine/easy to move around and install because of its lightness.

Door hinges allows more than 180° opening.

Protection degree: IP65



Polyester box(fiber glass box,GRP box)				
Model		Dimension(mm)		
Grey door	Glass door	W	H	D
TIP-325	TX-325	250	300	140
TIP-43	TX-43	300	400	200
TIP-44	TX-44	400	400	200
TIP-54	TX-54	400	500	200
TIP-64	TX-64	400	600	230
TIP-65	TX-65	500	600	230
TIP-86	TX-86	600	800	300


Polyester enclosure single door




Polyester enclosure with glass door



Mounting plate for polyester enclosure



Polyester mounting plate



Galvanised mounting plate

Polyester mounting plate			Galvanised mounting plate		
Model	Dimension(mm)		Model	Dimension(mm)	
	M	N		C	E
PP-325	221	238	TI-325	263	201
PP-43	311	286	TI-43	353	245
PP-44	308	386	TI-44	349	345
PP-54	408	386	TI-54	453	345
PP-64	511	386	TI-64	553	345
PP-65	508	486	TI-65	553	447
PP-86	706	581	TI-86	749	540




Polyester enclosure

Inner door for polyester box



Model metal Inner door	Dimension(mm) For box door			
	A	B	W	H
TP-43	364	245	300	400
TP-44	364	345	400	400
TP-54	464	345	400	500
TP-64	564	345	400	600
TP-65	564	445	500	600
TP-86	764	545	600	800



Modular kit for polyester box



Model	Door		No.of breakers	Breakers qty(PCS)	No.of rows
	W	H			
MDTT43	300	400	2 rows X 12P	24	2
MDTT44	400	400	2 rows X 18P	36	2
MDTT54	400	500	3 rows X 18P	54	3
MDTT64	400	600	4 rows X 18P	72	4
MDTT65	500	600	4 rows X 23P	92	4
MDTT86	600	800	5 rows X 29P	145	5

Accessories for polyester enclosure



Key lock
model:MS705-3E
package:1pc



Standard lock
model:MS-01
package:1pc



Wall mount brackets
model:TXP-01
package:4pcs/set

Hoop(telegraph pole fixing)



model:TIP-080
package:2pcs/set



Fixed on the telegraph pole



Fixed on the telegraph pole