

Stainless steel cabinet

Stainless steel wall mount enclosure

TIBOX[®]
TIANQI ELECTRIC



AR9X stainless steel cabinet-Single door

AR9XP stainless steel cabinet with glass door

AR9X stainless steel cabinet-Single door

Material: stainless steel AISI304 or AISI316 (on request)
 Thickness: front door 2.0mm/ rear panel 1.5mm/ side panels 1.5mm/ top cover & bottom cable plate 1.5mm/ galvanised mounting plate 2.5mm/
 9-folded rails 1.5mm
 Protection ratings: IP 55
 Impact resistance IK10



Supply include:

9-folded rails 4pcs/set, door complete with MS821-X locking system and hinges, rear panel, side panels 2pcs/set, top cover, bottom with removable cable entry, 4 lifting eyebolts
 Plinth to be offered separately (See Page 10)

Model	W × H × D mm	NO. of door
AR9X 146/4	600 X 1400 X 400	1
AR9X 146/6	600 X 1400 X 600	1
AR9X 148/4	800 X 1400 X 400	1
AR9X 148/6	800 X 1400 X 600	1
AR9X 148/8	800 X 1400 X 800	1
AR9X 166/6	600 X 1600 X 600	1
AR9X 166/8	600 X 1600 X 800	1
AR9X 168/6	800 X 1600 X 600	1
AR9X 168/8	800 X 1600 X 800	1
AR9X 186/4	600 X 1800 X 400	1
AR9X 186/5	600 X 1800 X 500	1
AR9X 186/6	600 X 1800 X 600	1
AR9X 186/8	600 X 1800 X 800	1
AR9X 188/4	800 X 1800 X 400	1
AR9X 188/5	800 X 1800 X 500	1
AR9X 188/6	800 X 1800 X 600	1
AR9X 1810/4	1000 X 1800 X 400	1
AR9X 1810/5	1000 X 1800 X 500	1

Model	W × H × D mm	NO. of door
AR9X 203/8	300 X 2000 X 800	1
AR9X 204/5	400 X 2000 X 500	1
AR9X 204/6	400 X 2000 X 600	1
AR9X 206/4	600 X 2000 X 400	1
AR9X 206/5	600 X 2000 X 500	1
AR9X 206/6	600 X 2000 X 600	1
AR9X 206/8	600 X 2000 X 800	1
AR9X 208/4	800 X 2000 X 400	1
AR9X 208/5	800 X 2000 X 500	1
AR9X 208/6	800 X 2000 X 600	1
AR9X 208/8	800 X 2000 X 800	1
AR9X 2010/4	1000 X 2000 X 400	1
AR9X 2010/5	1000 X 2000 X 500	1
AR9X 2010/6	1000 X 2000 X 600	1
AR9X 2010/8	1000 X 2000 X 800	1
AR9X 226/8	600 X 2200 X 800	1
AR9X 228/6	800 X 2200 X 600	1
AR9X 228/8	800 X 2200 X 800	1

more size to be request to the clients

AR9XP stainless steel cabinet with glass door

Material: stainless steel AISI304 or AISI316 (on request)
 Thickness: front door 2.0mm/ rear panel 1.5mm/ side panels 1.5mm/ top cover & bottom cable plate 1.5mm/ galvanised mounting plate 2.5mm/
 9-folded rails 1.5mm/ thickness of 5mm material toughened glass
 Protection ratings: IP 55
 Impact resistance IK10



Supply include:

9-folded rails 4pcs/set, door complete with MS821-X locking system with toughened glass window, and hinges, rear panel, side panels 2pcs/set, top cover, bottom with removable cable entry, 4 lifting eyebolts
 Plinth to be offered separately (See Page 10)

Model	W × H × D mm	NO. of door
AR9XP 146/4	600 X 1400 X 400	1
AR9XP 146/6	600 X 1400 X 600	1
AR9XP 148/4	800 X 1400 X 400	1
AR9XP 148/6	800 X 1400 X 600	1
AR9XP 148/8	800 X 1400 X 800	1
AR9XP 166/6	600 X 1600 X 600	1
AR9XP 166/8	600 X 1600 X 800	1
AR9XP 168/6	800 X 1600 X 600	1
AR9XP 168/8	800 X 1600 X 800	1
AR9XP 186/4	600 X 1800 X 400	1
AR9XP 186/5	600 X 1800 X 500	1
AR9XP 186/6	600 X 1800 X 600	1
AR9XP 186/8	600 X 1800 X 800	1
AR9XP 188/4	800 X 1800 X 400	1
AR9XP 188/5	800 X 1800 X 500	1
AR9XP 188/6	800 X 1800 X 600	1
AR9XP 1810/4	1000 X 1800 X 400	1
AR9XP 1810/5	1000 X 1800 X 500	1

Model	W × H × D mm	NO. of door
AR9XP 203/8	300 X 2000 X 800	1
AR9XP 204/5	400 X 2000 X 500	1
AR9XP 204/6	400 X 2000 X 600	1
AR9XP 206/4	600 X 2000 X 400	1
AR9XP 206/5	600 X 2000 X 500	1
AR9XP 206/6	600 X 2000 X 600	1
AR9XP 206/8	600 X 2000 X 800	1
AR9XP 208/4	800 X 2000 X 400	1
AR9XP 208/5	800 X 2000 X 500	1
AR9XP 208/6	800 X 2000 X 600	1
AR9XP 208/8	800 X 2000 X 800	1
AR9XP 2010/4	1000 X 2000 X 400	1
AR9XP 2010/5	1000 X 2000 X 500	1
AR9XP 2010/6	1000 X 2000 X 600	1
AR9XP 2010/8	1000 X 2000 X 800	1
AR9XP 226/8	600 X 2200 X 800	1
AR9XP 228/6	800 X 2200 X 600	1
AR9XP 228/8	800 X 2200 X 800	1

more size to be request to the clients



9-folded stainless steel profiles



Door frame



Hinges



AR9XI stainless steel cabinet-Inner door

AR9XIP stainless steel cabinet-Glass door with Inner door

AR9XI stainless steel cabinet-Inner door

Material: stainless steel AISI304 or AISI316 (on request)
 Thickness: front door 2.0mm/ rear panel 1.5mm/ side panels 1.5mm/ top cover & bottom cable plate 1.5mm/ galvanised mounting plate 2.5mm/
 Inner door 1.5mm/ 9-folded rails 1.5mm
 Protection ratings: IP 55
 Impact resistance IK10



Supply include:

9-folded rails 4pcs/set, door complete with MS821-X locking system and hinges, rear panel, side panels 2pcs/set, top cover, bottom with removable cable entry, 4 lifting eyebolts
 Plinth to be offered separately (See Page 10)

Model	W × H × D mm	NO. of door
AR9XI 146/4	600 X 1400 X 400	1
AR9XI 146/6	600 X 1400 X 600	1
AR9XI 148/4	800 X 1400 X 400	1
AR9XI 148/6	800 X 1400 X 600	1
AR9XI 148/8	800 X 1400 X 800	1
AR9XI 166/6	600 X 1600 X 600	1
AR9XI 166/8	600 X 1600 X 800	1
AR9XI 168/6	800 X 1600 X 600	1
AR9XI 168/8	800 X 1600 X 800	1
AR9XI 186/4	600 X 1800 X 400	1
AR9XI 186/5	600 X 1800 X 500	1
AR9XI 186/6	600 X 1800 X 600	1
AR9XI 186/8	600 X 1800 X 800	1
AR9XI 188/4	800 X 1800 X 400	1
AR9XI 188/5	800 X 1800 X 500	1
AR9XI 188/6	800 X 1800 X 600	1
AR9XI 1810/4	1000 X 1800 X 400	1
AR9XI 1810/5	1000 X 1800 X 500	1

Model	W × H × D mm	NO. of door
AR9XI 203/8	300 X 2000 X 800	1
AR9XI 204/5	400 X 2000 X 500	1
AR9XI 204/6	400 X 2000 X 600	1
AR9XI 206/4	600 X 2000 X 400	1
AR9XI 206/5	600 X 2000 X 500	1
AR9XI 206/6	600 X 2000 X 600	1
AR9XI 206/8	600 X 2000 X 800	1
AR9XI 208/4	800 X 2000 X 400	1
AR9XI 208/5	800 X 2000 X 500	1
AR9XI 208/6	800 X 2000 X 600	1
AR9XI 208/8	800 X 2000 X 800	1
AR9XI 2010/4	1000 X 2000 X 400	1
AR9XI 2010/5	1000 X 2000 X 500	1
AR9XI 2010/6	1000 X 2000 X 600	1
AR9XI 2010/8	1000 X 2000 X 800	1
AR9XI 226/8	600 X 2200 X 800	1
AR9XI 228/6	800 X 2200 X 600	1
AR9XI 228/8	800 X 2200 X 800	1

more size to be request to the clients

AR9XIP stainless steel cabinet-Inner door with Glass door

Material: stainless steel AISI304 or AISI316 (on request)
 Thickness: front door 2.0mm/ rear panel 1.5mm/ side panels 1.5mm/ top cover & bottom cable plate 1.5mm/ galvanised mounting plate 2.5mm/
 Inner door 1.5mm/ 9-folded rails 1.5mm/ thickness of 5mm material toughened glass
 Protection ratings: IP 55
 Impact resistance IK10



Supply include:

9-folded rails 4pcs/set, door complete with MS821-X locking system with toughened glass window, and hinges, rear panel, side panels 2pcs/set, top cover, bottom with removable cable entry, 4 lifting eyebolts
 Plinth to be offered separately (See Page 10)

Model	W × H × D mm	NO. of door
AR9XIP 146/4	600 X 1400 X 400	1
AR9XIP 146/6	600 X 1400 X 600	1
AR9XIP 148/4	800 X 1400 X 400	1
AR9XIP 148/6	800 X 1400 X 600	1
AR9XIP 148/8	800 X 1400 X 800	1
AR9XIP 166/6	600 X 1600 X 600	1
AR9XIP 166/8	600 X 1600 X 800	1
AR9XIP 168/6	800 X 1600 X 600	1
AR9XIP 168/8	800 X 1600 X 800	1
AR9XIP 186/4	600 X 1800 X 400	1
AR9XIP 186/5	600 X 1800 X 500	1
AR9XIP 186/6	600 X 1800 X 600	1
AR9XIP 186/8	600 X 1800 X 800	1
AR9XIP 188/4	800 X 1800 X 400	1
AR9XIP 188/5	800 X 1800 X 500	1
AR9XIP 188/6	800 X 1800 X 600	1
AR9XIP 1810/4	1000 X 1800 X 400	1
AR9XIP 1810/5	1000 X 1800 X 500	1

Model	W × H × D mm	NO. of door
AR9XIP 203/8	300 X 2000 X 800	1
AR9XIP 204/5	400 X 2000 X 500	1
AR9XIP 204/6	400 X 2000 X 600	1
AR9XIP 206/4	600 X 2000 X 400	1
AR9XIP 206/5	600 X 2000 X 500	1
AR9XIP 206/6	600 X 2000 X 600	1
AR9XIP 206/8	600 X 2000 X 800	1
AR9XIP 208/4	800 X 2000 X 400	1
AR9XIP 208/5	800 X 2000 X 500	1
AR9XIP 208/6	800 X 2000 X 600	1
AR9XIP 208/8	800 X 2000 X 800	1
AR9XIP 2010/4	1000 X 2000 X 400	1
AR9XIP 2010/5	1000 X 2000 X 500	1
AR9XIP 2010/6	1000 X 2000 X 600	1
AR9XIP 2010/8	1000 X 2000 X 800	1
AR9XIP 226/8	600 X 2200 X 800	1
AR9XIP 228/6	800 X 2200 X 600	1
AR9XIP 228/8	800 X 2200 X 800	1

more size to be request to the clients

AR9X/D stainless steel cabinet-Double door

AR8X/D one piece floor stand stainless steel cabinet-Double door

AR9X/D stainless steel cabinet-Double door

Material: stainless steel AISI304 or AISI316 (on request)

Thickness: front door 2.0mm/ rear panel 1.5mm/ side panels 1.5mm/ top cover & bottom cable plate 1.5mm/ galvanised mounting plate 2.5mm/ 9-folded rails 1.5mm

Protection ratings: IP 55

Impact resistance IK10



Supply include:

9-folded rails 4pcs/set, door complete with MS821-X locking system and hinges, rear panel, side panels 2pcs/set, top cover, bottom with removable cable entry, 4 lifting eyebolts
Plinth to be offered separately (See Page 10)

Model	W × H × D mm	NO. of door
AR9X 1810/4D	1000 X 1800 X 400	2
AR9X 1810/5D	1000 X 1800 X 500	2
AR9X 1810/6D	1000 X 1800 X 600	2
AR9X 1812/4D	1200 X 1800 X 400	2
AR9X 1812/5D	1200 X 1800 X 500	2
AR9X 1812/6D	1200 X 1800 X 600	2
AR9X 2010/4D	1000 X 2000 X 400	2
AR9X 2010/5D	1200 X 2000 X 500	2
AR9X 2010/6D	1200 X 2000 X 600	2
AR9X 2212/4D	1200 X 2200 X 400	2
AR9X 2212/5D	1200 X 2200 X 500	2
AR9X 2212/6D	1200 X 2200 X 600	2

more size to be request to the clients

AR8X/D one piece stainless steel cabinet-Double door

Material: stainless steel AISI304 or AISI316 (on request)

Protection degree: IP 55

Impact resistance IK10

Thickness of the sheet steel:

Front door 2.0mm/ enclosure body 1.5mm/ bottom cable plate 1.5mm/ galvanised mounting plate: 2.5mm



Supply include:

AR8X structure enclosure body, double door complete with MS821-X locking system and hinges, bottom with removable cable entry, 4 lifting eyebolts
Plinth to be offered separately (See Page 10)

Model	W × H × D mm	NO. of door	Model	W × H × D mm	NO. of door
AR8X 1010/3D	1000 X 1000 X 300	2	AR8X 1812/5D	1200 X 1800 X 500	2
AR8X 1210/3D	1000 X 1200 X 300	2	AR8X 1816/4D	1600 X 1800 X 400	2
AR8X 1212/4D	1200 X 1200 X 400	2	AR8X 1816/5D	1600 X 1800 X 500	2
AR8X 1410/4D	1000 X 1400 X 400	2	AR8X 2010/4D	1000 X 2000 X 400	2
AR8X 1412/4D	1200 X 1400 X 400	2	AR8X 2010/5D	1000 X 2000 X 500	2
AR8X 1610/3D	1000 X 1600 X 300	2	AR8X 2012/4D	1200 X 2000 X 400	2
AR8X 1610/4D	1000 X 1600 X 400	2	AR8X 2012/5D	1200 X 2000 X 500	2
AR8X 1612/3D	1200 X 1600 X 300	2	AR8X 2012/6D	1200 X 2000 X 600	2
AR8X 1612/4D	1200 X 1600 X 400	2	AR8X 2016/4D	1600 X 2000 X 400	2
AR8X 1810/4D	1000 X 1800 X 400	2	AR8X 2016/5D	1600 X 2000 X 500	2
AR8X 1810/5D	1000 X 1800 X 500	2	AR8X 2016/6D	1600 X 2000 X 600	2
AR8X 1812/4D	1200 X 1800 X 400	2			

more size to be request to the clients



AR8X one piece stainless steel cabinet-single door

AR8XP one piece stainless steel cabinet with glazed door

AR8X one piece floor stand stainless steel cabinet-single door

Material: stainless steel AISI304 or AISI316 (on request)

Protection degree:IP 55

Impact resistance IK10

Thickness of the sheet steel:

Front door 2.0mm/ enclosure body 1.5mm/ galvanised mounting plate: 2.5mm/ bottom cable plate 1.5mm



Supply include:

AR8X structure enclosure body,door complete with MS821-X locking system and hinges ,bottom with removable cable entry,4 lifting eyebolts
Plinth to be offered separately(See Page 10)

Model	W × H × D mm	NO. of door
AR8X 128/3	800 X 1200 X 300	1
AR8X 146/3	600 X 1400 X 300	1
AR8X 146/4	600 X 1400 X 400	1
AR8X 148/3	800 X 1400 X 300	1
AR8X 148/4	800 X 1400 X 400	1
AR8X 166/3	600 X 1600 X 300	1
AR8X 166/4	600 X 1600 X 400	1
AR8X 168/3	800 X 1600 X 300	1
AR8X 168/4	800 X 1600 X 400	1
AR8X 186/3	600 X 1800 X 300	1
AR8X 186/4	600 X 1800 X 400	1
AR8X 186/5	600 X 1800 X 500	1
AR8X 186/6	600 X 1800 X 600	1

Model	W × H × D mm	NO. of door
AR8X 188/3	800 X 1800 X 300	1
AR8X 188/4	800 X 1800 X 400	1
AR8X 188/5	800 X 1800 X 500	1
AR8X 188/6	800 X 1800 X 600	1
AR8X 206/3	600 X 2000 X 300	1
AR8X 206/4	600 X 2000 X 400	1
AR8X 206/5	600 X 2000 X 500	1
AR8X 206/6	600 X 2000 X 600	1
AR8X 208/3	800 X 2000 X 300	1
AR8X 208/4	800 X 2000 X 400	1
AR8X 208/5	800 X 2000 X 500	1
AR8X 208/6	800 X 2000 X 600	1

more size to be request to the clients

AR8XP stainless steel cabinet with toughened glass door

Material: stainless steel AISI304 or AISI316 (on request)

Protection degree:IP 55

Impact resistance IK10

Thickness of the sheet steel:

Front door 2.0mm/ enclosure body 1.5mm/bottom cable plate 1.5mm/galvanised mounting plate: 2.5mm/ toughened glass window 5.0mm



Supply include:

AR8X structure cabinet body,door complete with MS821-X locking system with toughened glass window, and hinges , bottom with removable cable entry,4 lifting eyebolts
Plinth to be offered separately(See Page 10)

Model	W × H × D mm	No. of door
AR8XP 128/3	800 X 1200 X 300	1
AR8XP 146/3	600 X 1400 X 300	1
AR8XP 146/4	600 X 1400 X 400	1
AR8XP 148/3	800 X 1400 X 300	1
AR8XP 148/4	800 X 1400 X 400	1
AR8XP 166/3	600 X 1600 X 300	1
AR8XP 166/4	600 X 1600 X 400	1
AR8XP 168/3	800 X 1600 X 300	1
AR8XP 168/4	800 X 1600 X 400	1
AR8XP 186/3	600 X 1800 X 300	1
AR8XP 186/4	600 X 1800 X 400	1
AR8XP 186/5	600 X 1800 X 500	1
AR8XP 186/6	600 X 1800 X 600	1

Model	W × H × D mm	No. of door
AR8XP 188/3	800 X 1800 X 300	1
AR8XP 188/4	800 X 1800 X 400	1
AR8XP 188/5	800 X 1800 X 500	1
AR8XP 188/6	800 X 1800 X 600	1
AR8XP 206/3	600 X 2000 X 300	1
AR8XP 206/4	600 X 2000 X 400	1
AR8XP 206/5	600 X 2000 X 500	1
AR8XP 206/6	600 X 2000 X 600	1
AR8XP 208/3	800 X 2000 X 300	1
AR8XP 208/4	800 X 2000 X 400	1
AR8XP 208/5	800 X 2000 X 500	1
AR8XP 208/6	800 X 2000 X 600	1

more size to be request to the clients

Stainless steel wall mount enclosure

Material:enclosure and door manufactured from AISI 304L sheet steel (AISI 316L on request).Flat mounting plate manufactured from galvanised sheet steel. Hinges in stainless steel.Thickness of sheet steel: enclosure& door: sheet steel 1.2mm till size STX6 820 ,then 1.5mm.Thickness of mounting plate:zinc coated steel 1.5mm till size STX6 820 then 2.0mm

Stainless steel box with single door-STX



Supply include:

enclosure body,door with lock & galvanised mounted plate,seal gasket and fixing accessories
Wall mount brackets 4pcs/set to be offered separately.

Protection degree:IP 66 Impact resistance IK10

Model	W × H × D(mm)
STX2 215	200×200×150
STX2 2515	200×250×150
STX25 2515	250×250×150
STX2 315	200×300×150
STX25 315	250×300×150
STX3 315	300×300×150
STX3 415	300×400×150
STX3 420	300×400×200
STX3 515	300×500×150
STX4 315	400×300×150
STX4 420	400×200×200

Model	W × H × D(mm)
STX4 520	400×500×200
STX4 620	400×600×200
STX5 520	500×500×200
STX5 725	500×700×250
STX6 420	600×400×200
STX6 620	600×600×200
STX6 625	600×600×250
STX6 630	600×600×300
STX6 820	600×800×200
STX6 1020	600×1000×200
STX8 1020	800×1000×200

Model	W × H × D(mm)
STX6 825	600×800×250
STX6 1025	600×1000×250
STX8 1225	800×1200×250
STX6 830	600×800×300
STX6 1230	600×1200×300
STX8 830	800×800×300
STX8 1030	800×1000×300
STX8 1230	800×1200×300
STX6 840	600×800×400
STX8 1440	800×1400×400

more size to be request to the clients

Stainless steel box with inner door - STXI



Supply include:

enclosure body,door with lock & galvanised mounted plate,seal gasket and fixing accessories,
Inner door with lock.Wall mount brackets 4pcs/set to be offered separately.

Protection degree:IP 66 Impact resistance IK10

Model	W × H × D(mm)
STXI3 415	300×400×150
STXI3 420	300×400×200
STXI3 515	300×500×150
STXI4 315	400×300×150
STXI4 420	400×200×200
STXI4 520	400×500×200
STXI4 620	400×600×200
STXI5 520	500×500×200
STXI5 725	500×700×250

Model	W × H × D(mm)
STXI6 420	600×400×200
STXI6 620	600×600×200
STXI6 625	600×600×250
STXI6 630	600×600×300
STXI6 820	600×800×200
STXI6 1020	600×1000×200
STXI8 1020	800×1000×200
STXI6 825	600×800×250
STXI6 1025	600×1000×250

Model	W × H × D(mm)
STXI8 1225	800×1200×250
STXI6 830	600×800×300
STXI6 1230	600×1200×300
STXI8 830	800×800×300
STXI8 1030	800×1000×300
STXI8 1230	800×1200×300
STXI6 840	600×800×400
STXI8 1440	800×1400×400

more size to be request to the clients

Stainless steel box with inner door +toughened glass door- STXIP



Supply include:

enclosure body,toughened glass door thickness 5.0mm door with lock & galvanised mounted plate,seal gasket and fixing accessories,Inner door with lock.Wall mount brackets 4pcs/set to be offered separately.

Protection degree:IP 66 Impact resistance IK10

Model	W × H × D(mm)
STXIP3 415	300×400×150
STXIP3 420	300×400×200
STXIP3 515	300×500×150
STXIP4 315	400×300×150
STXIP4 420	400×200×200
STXIP4 520	400×500×200
STXIP4 620	400×600×200
STXIP5 520	500×500×200
STXIP5 725	500×700×250

Model	W × H × D(mm)
STXIP6 420	600×400×200
STXIP6 620	600×600×200
STXIP6 625	600×600×250
STXIP6 630	600×600×300
STXIP6 820	600×800×200
STXIP6 1020	600×1000×200
STXIP8 1020	800×1000×200
STXIP6 825	600×800×250
STXIP6 1025	600×1000×250

Model	W × H × D(mm)
STXIP8 1225	800×1200×250
STXIP6 830	600×800×300
STXIP6 1230	600×1200×300
STXIP8 830	800×800×300
STXIP8 1030	800×1000×300
STXIP8 1230	800×1200×300
STXIP6 840	600×800×400
STXIP8 1440	800×1400×400

more size to be request to the clients



Stainless steel wall mount enclosure

Stainless steel box with toughened glass door - STXP



Supply include:

enclosure body,toughened glass door thickness 5.0mm with lock & galvanised mounted plate, seal gasket and fixing accessories Wall mount brackets 4pcs/set to be offered separately. Protection degree:IP 66 Impact resistance IK10

Model	W × H × D(mm)
STXP3 415	300×400×150
STXP3 420	300×400×200
STXP3 515	300×500×150
STXP4 315	400×300×150
STXP4 420	400×200×200
STXP4 520	400×500×200
STXP4 620	400×600×200
STXP5 520	500×500×200
STXP5 725	500×700×250

Model	W × H × D(mm)
STXP6 420	600×400×200
STXP6 620	600×600×200
STXP6 625	600×600×250
STXP6 630	600×600×300
STXP6 820	600×800×200
STXP6 1020	600×1000×200
STXP8 1020	800×1000×200
STXP6 825	600×800×250
STXP6 1025	600×1000×250

Model	W × H × D(mm)
STXP8 1225	800×1200×250
STXP6 830	600×800×300
STXP6 1230	600×1200×300
STXP8 830	800×800×300
STXP8 1030	800×1000×300
STXP8 1230	800×1200×300
STXP6 840	600×800×400
STXP8 1440	800×1400×400

Stainless steel box with double door - STXD



Supply include:

enclosure body, with lock & galvanised mounted plate, seal gasket and fixing accessories Wall mount brackets 4pcs/set to be offered separately.

Protection degree:IP 66 Impact resistance IK10

Model	W × H × D(mm)
STXD8 620	800×600×200
STXD8 625	800×600×250
STXD8 630	800×600×300
STXD8 640	800×600×400
STXD10 620	1000×600×200
STXD10 625	1000×600×250
STXD10 630	1000×600×300
STXD10 640	1000×600×400
STXD12 620	1000×600×200
STXD12 625	1200×600×250
STXD12 630	1200×600×300
STXD12 640	1200×600×400

Model	W × H × D(mm)
STXD8 820	800×800×200
STXD8 825	800×800×250
STXD8 830	800×800×300
STXD8 840	800×800×400
STXD10 820	1000×800×200
STXD10 825	1000×800×250
STXD10 830	1000×800×300
STXD10 840	1000×800×400
STXD12 820	1200×800×200
STXD12 825	1200×800×250
STXD12 830	1200×800×300
STXD12 840	1200×800×400

Model	W × H × D(mm)
STXD10 1020	1000×1000×200
STXD10 1025	1000×1000×250
STXD10 1030	1000×1000×300
STXD10 1040	1000×1000×400
STXD12 1020	1200×1000×200
STXD12 1025	1200×1000×250
STXD12 1030	1200×1000×300
STXD12 1040	1200×1000×400
STXD10 1220	1000×1200×200
STXD10 1225	1000×1200×250
STXD10 1230	1000×1200×300
STXD10 1240	1000×1200×400

Stainless steel terminal box-TLX

Material:boxes and cover manufactured from thickness 1.2mm,AISI 304L (AISI316 on request) Stainless steel cover fixing with stainless steel screws. Protection degree:IP 66 Impact resistance IK10



Supply include:

enclosure & cover(sheet steel 1.2mm),sealing gasket and fixing accessories

Galvanised mounting plate to be offered separately

Wall mount brackets to be offered separately

Din-rail to be offered separately

Model	W × H × D(mm)
TLX15158	150×150×80
TLX151512	150×150×120
TLX201512	200×150×120
TLX20208	200×200×80
TLX30158	300×150×80
TLX301512	300×150×120

Model	W × H × D(mm)
TLX30208	300×200×80
TLX302012	300×200×120
TLX401512	400×150×120
TLX40208	400×200×80
TLX403012	400×300×120
TLX404012	400×400×120

Model	W × H × D(mm)
TLX502012	500×200×120
TLX503012	500×300×120
TLX602012	600×200×120
TLX603012	600×300×120
TLX802012	800×200×120
TLX804012	800×400×120

Stainless steel terminal box-TBX

Material:boxes and door manufactured from thickness 1.2mm ,AISI 304L (AISI316 on request) Stainless steel door with lock model K3-X,180° stainless steel hinges Protection degree:IP 66 Impact resistance IK10



Supply Include:

Enclosure,door with sealing gasket and fixing accessories,lock system,stainless steel hinges

Galvanised mounting plate to be offered separately Wall mount brackets to be offered separately

Din-rail to be offered separately

Model	W × H × D(mm)
TBX15158	150×150×80
TBX15308	150×300×80
TBX20208	200×200×80
TBX20308	200×300×80
TBX20408	200×400×80
TBX151512	150×150×120
TBX153012	150×300×120
TBX202012	200×200×120

Model	W × H × D(mm)
TBX203012	200×300×120
TBX204012	200×400×120
TBX205012	200×500×120
TBX303012	300×300×120
TBX304012	300×400×120
TBX3040155	300×400×155
TBX3060155	300×600×155
TBX3080155	300×800×155

Stainless steel wall mount enclosure

NEW Stainless steel box - TNF



All new stainless steel box supply include:

304.316L stainless steel plate(material optional)/Door plank USES pull an Angle to from,also can use welding to from,single door can be left and right side swap installation./The maximum opening angle of the door is 110° ,the surface is processed into silk stripes,240mesh. box thickness:1.5mm,box cover thickness 2.0mm,mounting thickness 2.5mm

Model	W × H × D(mm)
TNF1 108	102×102×83
TNF1 1508	102×152×83
TNF15 209	152×203×96
TNF1 1510	102×152×109
TNF15 1510	152×150×109
TNF15 1510-1	152×152×109
TNF15 210	152×203×109
TNF2 210	203×203×109
TNF25 2510	203×254×109

Model	W × H × D(mm)
TNF25 313	254×305×134
TNF15 215	152×203×159
TNF2 215	203×203×159
TNF2 2515	203×254×159
TNF2 315	203×300×159
TNF25 215	254×200×159
TNF25 2515	254×254×159
TNF25 315	254×300×159
TNF25 415	254×400×159

Model	W × H × D(mm)
TNF3 315	305×300×159
TNF3 3515	305×356×159
TNF35 415	356×406×159
TNF25 421	254×400×210
TNF3 221	305×200×210
TNF35 221	356×200×210
TNF35 426	356×400×261

NEW Stainless steel box - TLXB



All new stainless steel box :

Protection level:

IP 66, according to standard:IE60529 in accordance with the NEMA Type 4X standards

Authentication:

*CE *ROHS *ISO9001

Surface treatment:

stainless steel:stain finish,240mesh

cold rolled steel:spray finishing,ral 7035

Mounting plate: galvanized steel plate

Model	W × H × D(mm)
TLXB3 318	305×305×182
TLXB4 518	406×508×182
TLXB5 518	508×508×182
TLXB3 618	305×610×182
TLXB4 618	406×610×182
TLXB5 618	508×610×182
TLXB5 718	508×762×182

NEW Stainless steel box - HLP



Model	W × H × D(mm)
HLP3 318	305×305×182
HLP3 418	305×406×182
HLP3 618	305×610×182
HLP4 418	406×406×182
HLP4 518	406×508×182
HLP4 618	406×610×182
HLP5 418	508×406×182
HLP5 518	508×508×182
HLP5 618	508×610×182
HLP5 718	508×762×182
HLP6 718	610×762×182
HLP6 918	610×914×182
HLP3 423	305×406×233
HLP4 523	406×508×233
HLP5 523	508×508×233

Model	W × H × D(mm)
HLP5 623	508×610×233
HLP5 723	508×762×233
HLP6 523	610×508×233
HLP6 623	610×610×233
HLP6 723	610×762×233
HLP6 923	610×914×233
HLP7 623	762×610×233
HLP7 723	762×762×233
HLP7 923	762×914×233
HLP7 1023	762×1067×233
HLP9 1023	914×1067×233
HLP9 1223	914×1219×233
HLP9 1523	914×1524×233
HLP4 528	406×508×284
HLP5 628	508×610×284

Model	W × H × D(mm)
HLP6 728	610×762×284
HLP7 928	762×914×284
HLP7 1228	762×1219×284
HLP9 1228	914×1219×284
HLP9 1528	914×1524×284
HLP12 1528	1221×1576×286
HLP6 733	610×762×335
HLP7 933	762×914×335
HLP9 1233	914×1219×335
HLP15 1533	1526×1576×336
HLP15 1833	1526×1811×336
HLP18 1833	1830×1811×336
HLP7 943	762×914×436
HLP9 1543	914×1524×436
HLP18 1864	1830×1811×641

NEW Stainless steel box - TEX



TEXA Four bolt type



TEXB Hinge type



TEXC Four bolt anti-theft type

Model	Model	Model	W × H × D(mm)
TEXA 1 1209	TEXB 1 1209	TEXC 1 1209	100×120×90
TEXA 15 1510	TEXB 15 1510	TEXC 15 1510	150×150×100
TEXA 2 210	TEXB 2 210	TEXC 2 210	200×200×100
TEXA 2 315	TEXB 2 315	TEXC 2 315	200×300×150
TEXA 28 2815	TEXB 28 2815	TEXC 28 2815	280×280×150
TEXA 38 3815	TEXB 38 3815	TEXC 38 3815	380×380×150

Model	Model	Model	W × H × D(mm)
TEXA 45 3815	TEXB 45 3815	TEXC 45 3815	450×380×150
TEXA 57 3815	TEXB 57 3815	TEXC 57 3815	570×380×150
TEXA 57 5715	TEXB 57 5715	TEXC 57 5715	570×570×150
TEXA 76 5720	TEXB 76 5720	TEXC 76 5720	760×570×200
TEXA 95 7620	TEXB 95 7620	TEXC 95 7620	950×760×200
TEXA 57 5730	TEXB 57 5730	TEXC 57 5730	570×570×300



Accessories for stainless steel box

Lock for STX stainless steel enclosure



LS-2



LS-3



LS-4



LS-5



Stainless lock for AR9X, AR8X
Model: MS821X

Wall mount brackets for STX stainless steel wall mount box

Model: WCX-010

Material: stainless steel AISI304

Package: 4pcs/set with fixing accessories



WCX-010



Wall mount brackets for TLX, TBX stainless steel terminal box

Model: WLX-010

Material: stainless steel AISI304

Package: 4pcs/set with fixing accessories



WLX-010



Canopy for STX stainless steel wall mount box

Model: TTX

Recommended for outdoor installation-Manufactured in 1.2mm AISI 304 stainless steel. Package: 1 piece



Canopy



Model	For box size(mm)	
	W	D
TTX1 03	300	150
TTX2 03	300	200
TTX0 04	400	150
TTX1 04	400	200
TTX2 04	400	250
TTX3 04	400	300
TTX0 05	500	150
TTX1 05	500	200
TTX2 05	500	250

Model	For box size(mm)	
	W	D
TTX3 05	500	300
TTX0 06	600	200
TTX1 06	600	250
TTX2 06	600	300
TTX3 06	600	400
TTX0 08	800	200
TTX1 08	800	250
TTX2 08	800	300
TTX3 08	800	400

Mounting plate for TLX, TBX stainless steel terminal box

Manufactured in 1.5mm galvanised sheet steel, for box MODEL TLX, TBX, TL, TB series

Package: 1 piece



Mounting plate



Model	For box size(mm)	
	W	H
TL1515	150	150
TL2015	200	150
TL2020	200	200
TL3015	300	150
TL3020	300	200
TL4015	400	150
TL4020	400	200

Model	For box size(mm)	
	W	H
TL4030	400	300
TL4040	400	400
TL5020	500	200
TL5030	500	300
TL6020	600	200
TL8020	800	200
TL8040	800	400

Plinth for AR8X, AR9X stainless steel cabinet

Standard plinth: H=100mm, H=200mm PLX is made up of 1.5mm stainless steel



Plinth



Model		Cabinet size(mm)	
		Width	Depth
PLX1 35	PLX2 35	300	500
PLX1 36	PLX2 36	300	600
PLX1 38	PLX2 38	300	800
PLX1 45	PLX2 45	400	500
PLX1 46	PLX2 46	400	600
PLX1 64	PLX2 64	600	400
PLX1 65	PLX2 65	600	500
PLX1 66	PLX2 66	600	600

Model		Cabinet size(mm)	
		Width	Depth
PLX1 86	PLX2 86	800	600
PLX1 88	PLX2 88	800	800
PLX1 104	PLX2 104	1000	400
PLX1 105	PLX2 105	1000	500
PLX1 106	PLX2 106	1000	600
PLX1 108	PLX2 108	1000	800
PLX1 124	PLX2 124	1200	400
PLX1 125	PLX2 125	1200	500

more size to be request to the clients

TPX stainless steel console TP steel control desk



TPX stainless steel console

Material: Stainless steel AISI304 or AISI 316

thickness of sheet steel

body: 1.5mm/front door:2.0mm/upper cover:2.0mm/galvanised mounting plate: 2.5mm

Supply include:

control desk, front door with lock system, upper cover with cover stop 2pcs, 2 pcs gland

cable plates, mounting plate

The accessories of plinth 100mm to be supplied separately according to the client's requirement

MODEL	W	H	D(D1) mm	NO.of doors	size of mounting plate(FXG) mm	Weight	Plinth 100mm
TPX01	500 X 960 X 400(480)			1 door	430 X 780	39.8KGS	PL54-TPX
TPX02	600 X 960 X 400(480)			1 door	530 X 780	53KGS	PL64-TPX
TPX03	800 X 960 X 400(480)			1 door	730 X 780	66.2KGS	PL84-TPX
TPX04	1000 X 960 X 400(480)			2 doors	930 X 780	80.5KGS	PL104-TPX
TPX05	1200 X 960 X 400(480)			2 doors	1130 X 780	91.3KGS	PL124-TPX



TP steel control desk

Material: cold steel sheet

thickness of sheet steel

body: 1.5mm /front door:2.0mm /upper cover:2.0mm/galvanised mounting plate: 2.5mm

Color for the control desk: RAL7032 or RAL 7035

Supply include:

control desk, front door with lock system, upper cover with cover stop 2pcs,

2 pcs gland cable plates, mounting plate

The accessories of plinth 100mm to be supplied separately according to the client's requirement

MODEL	W	H	D(D1)	NO.of doors	size of mounting plate(FXG)	Weight	Plinth 100mm
TP01	500 X 960 X 400(480) mm			1 door	430 X 780mm	38.8KGS	PL54-TP
TP02	600 X 960 X 400(480) mm			1 door	530 X 780mm	52KGS	PL64-TP
TP03	800 X 960 X 400(480) mm			1 door	730 X 780mm	65.2KGS	PL84-TP
TP04	1000 X 960 X 400(480) mm			2 doors	930 X 780mm	79.5KGS	PL104-TP
TP05	1200 X 960 X 400(480) mm			2 doors	1130 X 780mm	90.3KGS	PL124-TP

