

# AR9X stainless steel cabinet-Single door

## AR9XP stainless steel cabinet with glazed door

### AR9X stainless steel cabinet-Single door

Material: stainless steel AISI304 or AISI316 (on request)  
 Thickness: front door 2.0mm/ rear panel 1.5mm/ side panels 1.5mm/ top cover & bottom cable plate 1.5mm/ galvanised mounting plate 2.5mm/  
 9-folded rails 1.5mm  
 Protection ratings: IP 55  
 Impact resistance IK10



#### Supply include:

9-folded rails 4pcs/set, door complete with MS821-X locking system and hinges ,rear panel, side panels 2pcs/set, top cover, bottom with removable cable entry, 4 lifting eyebolts  
 Plinth to be offered separately (See Page 08)

Model	W × H × D mm	NO. of door	Model	W × H × D mm	NO. of door
AR9X 146/4	600 X 1400 X 400	1	AR9X 203/8	300 X 2000 X 800	1
AR9X 146/6	600 X 1400 X 600	1	AR9X 204/5	400 X 2000 X 500	1
AR9X 148/4	800 X 1400 X 400	1	AR9X 204/6	400 X 2000 X 600	1
AR9X 148/6	800 X 1400 X 600	1	AR9X 206/4	600 X 2000 X 400	1
AR9X 148/8	800 X 1400 X 800	1	AR9X 206/5	600 X 2000 X 500	1
AR9X 166/6	600 X 1600 X 600	1	AR9X 206/6	600 X 2000 X 600	1
AR9X 166/8	600 X 1600 X 800	1	AR9X 206/8	600 X 2000 X 800	1
AR9X 168/6	800 X 1600 X 600	1	AR9X 208/4	800 X 2000 X 400	1
AR9X 168/8	800 X 1600 X 800	1	AR9X 208/5	800 X 2000 X 500	1
AR9X 186/4	600 X 1800 X 400	1	AR9X 208/6	800 X 2000 X 600	1
AR9X 186/5	600 X 1800 X 500	1	AR9X 208/8	800 X 2000 X 800	1
AR9X 186/6	600 X 1800 X 600	1	AR9X 2010/4	1000 X 2000 X 400	1
AR9X 186/8	600 X 1800 X 800	1	AR9X 2010/5	1000 X 2000 X 500	1
AR9X 188/4	800 X 1800 X 400	1	AR9X 2010/6	1000 X 2000 X 600	1
AR9X 188/5	800 X 1800 X 500	1	AR9X 2010/8	1000 X 2000 X 800	1
AR9X 188/6	800 X 1800 X 600	1	AR9X 226/8	600 X 2200 X 800	1
AR9X 1810/4	1000 X 1800 X 400	1	AR9X 228/6	800 X 2200 X 600	1
AR9X 1810/5	1000 X 1800 X 500	1	AR9X 228/8	800 X 2200 X 800	1

### AR9XP stainless steel cabinet with glazed door

Material: stainless steel AISI304 or AISI316 (on request)  
 Thickness: front door 2.0mm/ rear panel 1.5mm/ side panels 1.5mm/ top cover & bottom cable plate 1.5mm/ galvanised mounting plate 2.5mm/  
 9-folded rails 1.5mm/ thickness of 5mm material toughened glass  
 Protection ratings: IP 55  
 Impact resistance IK10



#### Supply include:

9-folded rails 4pcs/set, door complete with MS821-X locking system with toughened glass window, and hinges ,rear panel, side panels 2pcs/set, top cover, bottom with removable cable entry, 4 lifting eyebolts  
 Plinth to be offered separately (See Page 08)

Model	W × H × D mm	NO. of door	Model	W × H × D mm	NO. of door
AR9XP 146/4	600 X 1400 X 400	1	AR9XP 203/8	300 X 2000 X 800	1
AR9XP 146/6	600 X 1400 X 600	1	AR9XP 204/5	400 X 2000 X 500	1
AR9XP 148/4	800 X 1400 X 400	1	AR9XP 204/6	400 X 2000 X 600	1
AR9XP 148/6	800 X 1400 X 600	1	AR9XP 206/4	600 X 2000 X 400	1
AR9XP 148/8	800 X 1400 X 800	1	AR9XP 206/5	600 X 2000 X 500	1
AR9XP 166/6	600 X 1600 X 600	1	AR9XP 206/6	600 X 2000 X 600	1
AR9XP 166/8	600 X 1600 X 800	1	AR9XP 206/8	600 X 2000 X 800	1
AR9XP 168/6	800 X 1600 X 600	1	AR9XP 208/4	800 X 2000 X 400	1
AR9XP 168/8	800 X 1600 X 800	1	AR9XP 208/5	800 X 2000 X 500	1
AR9XP 186/4	600 X 1800 X 400	1	AR9XP 208/6	800 X 2000 X 600	1
AR9XP 186/5	600 X 1800 X 500	1	AR9XP 208/8	800 X 2000 X 800	1
AR9XP 186/6	600 X 1800 X 600	1	AR9XP 2010/4	1000 X 2000 X 400	1
AR9XP 186/8	600 X 1800 X 800	1	AR9XP 2010/5	1000 X 2000 X 500	1
AR9XP 188/4	800 X 1800 X 400	1	AR9XP 2010/6	1000 X 2000 X 600	1
AR9XP 188/5	800 X 1800 X 500	1	AR9XP 2010/8	1000 X 2000 X 800	1
AR9XP 188/6	800 X 1800 X 600	1	AR9XP 226/8	600 X 2200 X 800	1
AR9XP 1810/4	1000 X 1800 X 400	1	AR9XP 228/6	800 X 2200 X 600	1
AR9XP 1810/5	1000 X 1800 X 500	1	AR9XP 228/8	800 X 2200 X 800	1

more size to be request to the clients



9-folded stainless steel profiles



Door frame



Hinges



# AR9X/D stainless steel cabinet-Double door

## AR8X/D one piece floor stand stainless steel cabinet-Double door

### AR9X/D stainless steel cabinet-Double door

Material: stainless steel AISI304 or AISI316 (on request)  
 Thickness: front door 2.0mm/ rear panel 1.5mm/ side panels 1.5mm/ top cover & bottom cable plate 1.5mm/ galvanised mounting plate 2.5mm/  
 9-folded rails 1.5mm  
 Protection ratings: IP 55  
 Impact resistance IK10



#### Supply include:

9-folded rails 4pcs/set, door complete with MS821-X locking system and hinges , rear panel, side panels 2pcs/set, top cover, bottom with removable cable entry, 4 lifting eyebolts  
 Plinth to be offered separately (See Page 08)

Model	W × H × D mm	NO. of door
AR9X 1810/4D	1000 X 1800 X 400	2
AR9X 1810/5D	1000 X 1800 X 500	2
AR9X 1810/6D	1000 X 1800 X 600	2
AR9X 1812/4D	1200 X 1800 X 400	2
AR9X 1812/5D	1200 X 1800 X 500	2
AR9X 1812/6D	1200 X 1800 X 600	2
AR9X 2010/4D	1000 X 2000 X 400	2
AR9X 2010/5D	1200 X 2000 X 500	2
AR9X 2010/6D	1200 X 2000 X 600	2
AR9X 2212/4D	1200 X 2200 X 400	2
AR9X 2212/5D	1200 X 2200 X 500	2
AR9X 2212/6D	1200 X 2200 X 600	2

more size to be request to the clients

### AR8X/D one piece stainless steel cabinet-Double door

Material: stainless steel AISI304 or AISI316 (on request)  
 Protection degree: IP 55  
 Impact resistance IK10  
 Thickness of the sheet steel:  
 Front door 2.0mm/ enclosure body 1.5mm/ bottom cable plate 1.5mm/ galvanised mounting plate: 2.5mm



#### Supply include:

AR8X structure enclosure body, double door complete with MS821-X locking system and hinges , bottom with removable cable entry, 4 lifting eyebolts  
 Plinth to be offered separately (See Page 08)

Model	W × H × D mm	NO. of door	Model	W × H × D mm	NO. of door
AR8X 1010/3D	1000 X 1000 X 300	2	AR8X 1812/5D	1200 X 1800 X 500	2
AR8X 1210/3D	1000 X 1200 X 300	2	AR8X 1816/4D	1600 X 1800 X 400	2
AR8X 1212/4D	1200 X 1200 X 400	2	AR8X 1816/5D	1600 X 1800 X 500	2
AR8X 1410/4D	800 X 1400 X 400	2	AR8X 2010/4D	1000 X 2000 X 400	2
AR8X 1412/4D	1000 X 1400 X 400	2	AR8X 2010/5D	1000 X 2000 X 500	2
AR8X 1610/3D	800 X 1600 X 400	2	AR8X 2012/4D	1200 X 2000 X 400	2
AR8X 1610/4D	1000 X 1600 X 300	2	AR8X 2012/5D	1200 X 2000 X 500	2
AR8X 1612/3D	1000 X 1600 X 400	2	AR8X 2012/6D	1200 X 2000 X 600	2
AR8X 1612/4D	1200 X 1600 X 300	2	AR8X 2016/4D	1600 X 2000 X 400	2
AR8X 1810/4D	1000 X 1800 X 400	2	AR8X 2016/5D	1600 X 2000 X 500	2
AR8X 1810/5D	1000 X 1800 X 500	2	AR8X 2016/6D	1600 X 2000 X 600	2
AR8X 1812/4D	1200 X 1800 X 400	2			

more size to be request to the clients

# AR8X one piece stainless steel cabinet-single door

## AR8XP one piece stainless steel cabinet with glazed door

### AR8X one piece floor stand stainless steel cabinet-single door

Material: stainless steel AISI304 or AISI316 (on request)

Protection degree:IP 55

Impact resistance IK10

Thickness of the sheet steel:

Front door 2.0mm/ enclosure body 1.5mm/ galvanised mounting plate: 2.5mm/ bottom cable plate 1.5mm



#### Supply include:

AR8X structure enclosure body,door complete with MS821-X locking system and hinges ,bottom with removable cable entry,4 lifting eyebolts  
Plinth to be offered separately(See Page 08)

Model	W × H × D mm	NO. of door
AR8X 128/3	800 X1200 X 300	1
AR8X 146/3	600 X1400 X 300	1
AR8X 146/4	600 X1400 X 400	1
AR8X 148/3	800 X1400 X 300	1
AR8X 148/4	800 X1400 X 400	1
AR8X 166/3	600 X1600 X 300	1
AR8X 166/4	600 X1600 X 400	1
AR8X 168/3	800 X1600 X 300	1
AR8X 168/4	800 X1600 X 400	1
AR8X 186/3	600 X1800 X 300	1
AR8X 186/4	600 X1800 X 400	1
AR8X 186/5	600 X1800 X 500	1
AR8X 186/6	600 X1800 X 600	1

Model	W × H × D mm	NO. of door
AR8X 188/3	800 X 1800 X 300	1
AR8X 188/4	800 X 1800 X 400	1
AR8X 188/5	800 X 1800 X 500	1
AR8X 188/6	800 X 1800 X 600	1
AR8X 206/3	600 X 2000 X 300	1
AR8X 206/4	600 X 2000 X 400	1
AR8X 206/5	600 X 2000 X 500	1
AR8X 206/6	600 X 2000 X 600	1
AR8X 208/3	800 X 2000 X 300	1
AR8X 208/4	800 X 2000 X 400	1
AR8X 208/5	800 X 2000 X 500	1
AR8X 208/6	800 X 2000 X 600	1

### AR8XP stainless steel cabinet with toughened glass door

Material: stainless steel AISI304 or AISI316 (on request)

Protection degree:IP 55

Impact resistance IK10

Thickness of the sheet steel:

Front door 2.0mm/ enclosure body 1.5mm/bottom cable plate 1.5mm/galvanised mounting plate: 2.5mm/ toughened glass window 5.0mm



#### Supply include:

AR8X structure cabinet body,door complete with MS821-X locking system with toughened glass window, and hinges , bottom with removable cable entry,4 lifting eyebolts  
Plinth to be offered separately(See Page 08)

Model	W × H × D mm	no. of door
AR8XP 128/3	800 X 1200 X 300	1
AR8XP 146/3	600 X 1400 X 300	1
AR8XP 146/4	600 X 1400 X 400	1
AR8XP 148/3	800 X 1400 X 300	1
AR8XP 148/4	800 X 1400 X 400	1
AR8XP 166/3	600 X 1600 X 300	1
AR8XP 166/4	600 X 1600 X 400	1
AR8XP 168/3	800 X 1600 X 300	1
AR8XP 168/4	800 X 1600 X 400	1
AR8XP 186/3	600 X 1800 X 300	1
AR8XP 186/4	600 X 1800 X 400	1
AR8XP 186/5	600 X 1800 X 500	1
AR8XP 186/6	600 X 1800 X 600	1

Model	W × H × D mm	no. of door
AR8XP 188/3	800 X 1800 X 300	1
AR8XP 188/4	800 X 1800 X 400	1
AR8XP 188/5	800 X 1800 X 500	1
AR8XP 188/6	800 X 1800 X 600	1
AR8XP 206/3	600 X 2000 X 300	1
AR8XP 206/4	600 X 2000 X 400	1
AR8XP 206/5	600 X 2000 X 500	1
AR8XP 206/6	600 X 2000 X 600	1
AR8XP 208/3	800 X 2000 X 300	1
AR8XP 208/4	800 X 2000 X 400	1
AR8XP 208/5	800 X 2000 X 500	1
AR8XP 208/6	800 X 2000 X 600	1

more size to be request to the clients

